



BARON LEATHER®

Genuinely Yours

NATURALE

European bovine hides, chrome tanned, aniline dyed in drums, natural grain milled, finished with water dispersed resins and fixed with nitrocellulose.

Specification

Content	Natural milled full grains, aniline dyed.
Finish	Semi Aniline.
Thickness	1.3 - 1.5 mm
Average hide size	55 sq.ft. (+,-)

Performance Characteristics

Tearing Strength - ASTM D 4704	Complies
Crocking - ASTM D 5053	Class 3.5 - 5
Elongation - ASTM D2211	Complies
Light Fastness - 72 Hrs AATCC 16	Class 5
Abrasion - ASTM D 3884	Complies
Breaking Force - ASTM 2208	Complies

Flammability Test

Cigarette Ignition Resistance (NFPA 260)	Class 1
California Technical Bulletin 117	Class 1
Ignitability of Upholstered Seating by Smouldering & Flaming Sources (BS5852)	Complies
IMO Resolution A.652(16)	Complies